CANADIAN JOURNAL OF PHYSICS

JOURNAL CANADIEN DE PHYSIQUE

VOLUME 64, 1986

Author Index / Index des auteurs

Aamodt, L.C., and Murphy, J.C. Thermal effects in materials with continuously varying optical and thermal properties in one dimension, 1221.
Abdel-Nour, K.N., see Hanna, F.F., 1534.
Ahmad, A., see Khushnood, H., 320.
Ahmad, S., Häusser, O., Macdonald, J.A., Olaniyi, B.H., Olin, A., Beer, G.A., Mason, G.R., and Kaplan, S.N. Muon-induced fission in ^{235}U and ^{238}U, 665.
Ahmed, T., see Biswas, A., 1184.
Ali, A.A., Ogryzlo, E.A., Shen, Y.Q., and Wassell, P.T. The formation of $O_2(a^1\Delta_g)$ in homogeneous and heterogeneous atom recombination, 1614.
Aller, H.D., see Hughes, P.A., 466.
Aller, M.F., see Hughes, P.A., 466.
Amano, T., see Nakanaga, T., 1356.
Amm, D.T., Segel, S.L., and Jeffrey, K.R. Hydroxide-ion dynamics in cesium hydroxide: a deuteron nuclear magnetic resonance study, 22.
Andernach, H. Spectrum and polarization of radio galaxy lobes and tails, 381.
Anderson, A., see Dagg, I.R., 7.
Anderson, A., see Dagg, I.R., 763.
Anderson, A., see Dagg, I.R., 1467.
Anderson, A., see Dagg, I.R., 1475.
Andreetta, C., see Dodgson, J.T., 1074.
Ansbacher, W., Pinnington, E.H., Kernahan, J.A., and Gosselin, R.N. Cascade-corrected lifetime measurements for singly and doubly ionized indium, 1365.
Audas, R., Brodie, D.E., Cowan, J.A., and Moore, C.J.L. The effects of incorporating water into vacuum-deposited amorphous silicon films, 16.
Azechi, H., see Nishimura, H., 986.
Balasubramanian, D., and Rao, Ch. M. Application of photoacoustics to biology: some specific systems and methods, 1132.
Baldis, H.A., Villeneuve, D.M., and Walsh, C.J. Plasma waves in laser fusion plasmas, 961.
Baliyan, K.S., Sharma, S., and Srivastava, M.K. Triple differential cross sections for fast electron-impact ionization of helium, 1482.
Balk, L.J. Thermal- and acoustic-wave techniques in scanning electron microscopy, 1238.
Bally, J. The evolution of massive bipolar jets and birth of H II regions, 383.
Baril, M., see Noël, M., 843.
Barrientos, C., see Martin, I., 867.
Barrow, J.D. General relativistic cosmological models and the cosmic microwave background radiation, 152.
Bartkowski, M., see Hedgcock, F.T., 1345.
Basu, M., see Ghosh, D., 239.
Baumann, J., see Tilgner, R., 1287.
Baumann, J., and Tilgner, R. Photothermal examination of buried layers, 1291.
Beck, S.M., see Loper, G.L., 1124.
Becker, K., see Forand, J.L., 269.
Becker, R.H. Jets associated with supernova remnants and other galactic nonthermal sources, 482.
Beer, G.A., see Ahmad, S., 665.
Bein, B.K., see Lepoutre, F., 1037.
Bein, B.K., see Kordecki, R., 1204.
Bein, B.K. Time-resolved derivation of heat fluxes from quantitative infrared thermography and its relationship to photoacoustics, 1190.
Bein, B.K., Krueger, S., and Pelzl, J. Photoacoustic measurement of effective thermal properties of rough and porous limiter graphite, 1208.
Bélanger, P.A., see Laberge, M., 1492.
Bernard, A., and Effantin, C. Further results relating to the electronic spectrum of $^{175}Lu^{16}O$, 246.
Bernengo, J.C., see Guy, M., 1142.
Bertrand, L., see Lévesque, D., 1030.
Bertrand, L., see Mongeau, B., 1056.
Bertrand, L., see Monchalin, J.-P., 1059.
Bertrand, L., see Choquet, M., 1081.
Bertrand, L., see Bordeleau, A., 1093.
Bertrand, L., see Rousset, G., 1293.
Betts, D.D., see Fujiki, S., 876.
Beyfuss, M., see Tilgner, R., 1287.

Bicknell, G.V. Turbulent jets and the energy budget in Fanaroff–Riley class-I radio sources, 495.
Bijnens, J., Sonoda, H., and Wise, M.B. Power counting in $1/N_c$ in the chiral soliton model, 1.
Billard, J., see Louis, G., 1230.
Bisi, A., Consolati, G., and Zappa, L. Exchange collisions between positronium and lanthanide ions, 1379.
Bissieux, C., see Egee, M., 1297.
Biswas, A., Ahmed, T., Johnson, K.W., Telschow, K.L., Crelling, J.C., and Myers, J.M. Thermal characterization of coal using piezoelectric photoacoustic microscopy, 1184.
Blicharski, J.S. Nuclear-spin relaxation in the presence of Mansfield–Ware(MW)-4 multipulse sequence, 733.
Bloom, M., and LeGros, M.A. Direct detection of two-quantum coherence, 1522.
Boccara, A.C., see Kuo, P.K., 1165.
Boccara, A.C., see Netzelmann, U., 1307.
Boivin, G., see Saint-Germain, D., 316.
Bordeleau, A., Rousset, G., Bertrand, L., and Crine, J.P. Water detection in polymer dielectrics using photoacoustic spectroscopy, 1093.
Borgohain, P., see Krori, K.D., 882.
Borgohain, P., see Krori, K.D., 887.
Borrell, P., see Borrell, P.M., 721.
Borrell, P.M., Borrell, P., and Ramsay, D.A. High-resolution studies of the near-ultraviolet bands of oxygen: II: the $A\ ^3\Sigma_u^+ - X\ ^3\Sigma_g^-$ system, 721.
Boyd, T.J.M. Laser–plasma interaction physics in underdense coronal plasmas, 944.
Bridle, A.H. Extragalactic jets: trends and correlations, 353.
Brodie, D.E., see Audas, R., 16.
Brodie, D.E., see von Sacken, U., 1369.
Brodie, J. Extragalactic jets and their interaction with their environment, 398.
Büchner, B., see Korpiun, P., 1042.
Burnett, N.H., and Enright, G.D. Hot-electron generation and transport in high-intensity laser interaction, 920.
Burns, J.O. Wide-angle tailed radio galaxies, 373.
Burt, J.A. The thermal-wave lens, 1053.
Busse, G. Thermal-wave experiments on moving samples, 1281.
Busse, G., Rief, B., and Eyerer, P. Photothermal nondestructive evaluation of welding seams, 1195.
Bussière, J.F., see Monchalin, J.-P., 1059.
Byrne, A.D., see Westgate, W.M., 1351.
Campbell, B., and Persson, S.E. Optical images of star-formation regions, 387.
Camy-Peyret, C., see Perrin, A., 736.
Camy-Peyret, C., see Chevillard, J.-P., 746.
Carigi, L., and Herrera, L. Killing vectors and Maxwell collineations in general relativity, 1496.
Carlone, C., see Desgreniers, S., 277.
Carlson, R.F., see McCamis, R.H., 685.
Carpentier, R., Matthijs, H.C.P., Leblanc, R.M., and Hind, G. Monitoring energy conversion in photosystem I of cyanobacterial heterocysts by photoacoustic spectroscopy, 1136.
Cataliotti, R.S., Paliani, G., and Santini, S. Vibrational spectra of crystalline organic sulphides: dimethyl sulphide and diethyl sulphide, 100.
Chakrabarti, S.K. Rotating winds and the acceleration of radio jets, 488.
Chandna, O.P., see Rudraiah, N., 90.
Chen, L., see Zhang, S.-y., 1316.
Cheung, C.Y., see Frank, B., 865.
Chevillard, J.-P., Mandin, J.-Y., Camy-Peyret, C., and Flaud, J.-M. The first hexad {(040), (120), (021), (200), (101), (002)} of $H_2{}^{18}O$: experimental energy levels and line intensities, 746.
Chin, S.L., see Gagné, M.-C., 1116.
Chiu, Y.-N. Crystal-field theory for the Rydberg states of polyatomic molecules, 782.
Chodos, A., and Myers, E. Testing the surrogate zeta-function method, 633.
Choh, S.H., see Han, T.J., 252.
Choquet, M., Rousset, G., and Bertrand, L. Fourier-transform photoacoustic spectroscopy: a more complete method for quantitative analysis, 1081.
Choudhury, R., see Krori, K.D., 1455.
Christensen, A.B., Eastes, R.W., Feldman, P.D., and Gentieu, E.P. Rocket observations of ultraviolet and optical emissions in the dayside aurora, 1401.
Christiansen, W.A., see Maiden, M.E., 490.
Chuang, T.J., see Hussla, I., 1070.
Chwirot, S., see Rudecki, P., 70.
Cielo, P., see Rousset, G., 1293.
Cielo, P., see Hutchins, D.A., 1334.
Cielo, P., Jen, C.K., and Maldague, X. The converging-surface-acoustic-wave technique: analysis and applications to nondestructive evaluation, 1324.
Cielo, P., Utracki, L.A., and Lamontagne, M. Thermal-diffusivity measurements by the converging-thermal-wave technique, 1172.
Cielo, P., Dallaire, S., Lamonde, G., and Johar, S. Measurement of thermal inertia by the reflective-cavity method, 1217.
Ciric, I.R., and Mathur, R.M. Electromagnetic field and losses from a vibrating wire carrying current parallel to a conducting slab, 1576.
Clancy, P.L., see Kumar, D., 1107.
Clarke, R.L., see Jarosz, B.J., 671.

Cleary, R. On the linear response of Bardeen–Cooper–Schrieffer superconductors. I. clean superconductors, 1396.
Cleary, R. Periodic structures of clean, normal, and superconducting material I: the density of states of the normal sections, 1486.
Cleary, R. Periodic structures of clean, normal, and superconducting material II. order parameter and free-energy functions (Additional Note), 1581.
Cochran, J.F., see Urquhart, K.B., 796.
Code, R.F., see Ebifegha, M.E., 282.
Coley, A.A., and Tupper, B.O.J. Two-fluid Friedmann–Robertson–Walker cosmologies and their numerical predictions, 204.
Collins, C.B. Shear-free fluids in general relativity, 191.
Consolati, G., see Bisi, A., 1379.
Cooperstock, F.I., and Lim, P.H. The new formula for gravitational-radiation energy loss and the axially symmetric two-body problem, 134.
Coquart, B., and Ramsay, D.A. High-resolution studies of the near-ultraviolet bands of oxygen: III: the $A'\,^3\Delta_u - X\,^3\Sigma_g^-$ system, 726.
Coufal, H., see Grygier, R.K., 1067.
Coufal, H., see Hussla, I., 1070.
Coufal, H., and Hefferle, P. A pulsed method for thermal-diffusivity measurements of polymer films with submicrometre thickness, 1200.
Couture, J.J.A., and Lessard, R.A. Effective thickness determination for volume transmission multiplex holograms, 553.
Cowan, J.A., see Audas, R., 16.
Cowan, S., Enns, R.H., Rangnekar, S.S., and Sanghera, S.S. Quasi-soliton and other behaviour of the nonlinear cubic-quintic Schrödinger equation, 311.
Cowlam, N., see Dini, K., 658.
Cox, A.J., see McCamis, R.H., 685.
Crelling, J.C., see Biswas, A., 1184.
Creutzberg, F., see McEwen, D.J., 1432.
Crine, J.P., see Bordeleau, A., 1093.
Dagg, I.R., Anderson, A., Yan, S., Smith, W., Joslin, C.G., and Read, L.A.A. Collision-induced absorption in a gaseous mixture of nitrogen and argon, 7.
Dagg, I.R., Anderson, A., Yan, S., Smith, W., Joslin, C.G., and Read, L.A.A. Collision–induced absorption in gaseous methane at low temperatures, 763.
Dagg, I.R., Anderson, A., Yan, S., Smith, W., Joslin, C.G., and Read, L.A.A. Collision-induced absorption in gaseous mixtures of nitrogen and methane, 1467.
Dagg, I.R., Anderson, A., Yan, S., Smith, W., Joslin, C.G., and Read, L.A.A. The quadrupole moment of cyanogen: a comparative study of collision-induced absorption in gaseous C_2N_2, CO_2, and mixtures with argon, 1475.
Daido, H., see Nishimura, H., 986.
Dallaire, S., see Cielo, P., 1217.
Dang-Nhu, M., et Pine, A.S. Intensités des raies d'absorption dans la bande chaude $\nu_8 + \nu_{11} - \nu_{11}$ de l'allène $^{12}C_3H_4$, 289.
Darewych, J.W., see Rogers, D., 1512.
Dartois, R., see Egee, M., 1297.
Das, K., see Krori, K.D., 882.
Das, K., see Krori, K.D., 887.
Da Silva, M. R. Theoretical study of the photoacoustic signal produced in a relaxing gas, 1098.
Datta, S.K. On the transport properties of simple liquids, 211.
Davies, H.A., see Dini, K., 658.
Davison, N.E., see McCamis, R.H., 685.
Dawson, W.K., see Khaliquzzaman, M., 219.
Delettrez, J. Thermal electron transport in direct-drive laser fusion, 932.
Desgreniers, S., Roubi, L., Carlone, C., and Hochheimer, H.D. Photoluminescence spectrum of tetracyanoquinodimethane crystals at 25 K: temperature and pressure dependence, 277.
Dinescu, Gh., see Petruş, O., 857.
Dini, K., Cowlam, N., Gregan, G.P., and Davies, H.A. A comparison of structural relaxation in $Ni_{64}B_{36}$ and $Fe_{83}B_{17}$ metallic glasses, 658.
Dodgson, J.T., Mandelis, A., and Andreetta, C. Optical-absorption coefficient measurements in solids and liquids using correlation photoacoustic spectroscopy, 1074.
Draper, P.W., see Scarrott, S.M., 426.
Duric, N., and Seaquist, E.R. Bipolar outflow of gas in the spiral galaxy NGC 3079, 531.
Duston, D. Ionization–radiation physics of laser fusion: the modeler's view, 998.
Dutta, A., see Ghosh, D., 239.
Dyer, C.C. Gravitational lenses and the inhomogeneous universe, 160.
Eastes, R.W., see Christensen, A.B., 1401.
Ebifegha, M.E., Code, R.F., McNeill, K.G., and Szyjkowski, M. Nuclear-magnetic-resonance determinations of fluorine content and relaxation times in bone powder, 282.
Effantin, C., see Bernard, A., 246.
Egee, M., Dartois, R., Marx, J., and Bissieux, C. Analysis of semitransparent layered materials by modulated photothermal radiometry: application to the bonding and thickness control of enamel coatings, 1297.
El Dabe, N.T. Magnetohydrodynamic unsteady free convective flow through a porous medium bounded by an infinite vertical porous plate, 84.
Elias, V. Quantum-field theory and the dynamical generation of quark masses, 595.
Enns, R.H., see Cowan, S., 311.
Enns, R.H., and Rangnekar, S.S. An inverse scattering of the radiation solution of the Korteweg–deVries equation: the generic and nongeneric cases, 53.
Enright, G.D., see Burnett, N.H., 920.
Evans, R.G. The basic physics of laser fusion, 893.

Eyerer, P., see Busse, G., 1195.
Falle, S.A.E.G., and Wilson, M.J. M87: an example of a reconfining jet, 470.
Favro, L.D., see Kuo, P.K., 1165.
Favro, L.D., see Kuo, P.K., 1168.
Favro, L.D., see Thomas, R.L., 1234.
Fedosejevs, R., see Marchand, R., 743.
Feigelson, E.D. Do neutron stars produce jets?, 474.
Feldman, P.D., see Christensen, A.B., 1401.
Ferrari, A., and Tsinganos, K. Wind-type flows and astrophysical jets, 456.
Fielding, H.W., see Khaliquzzaman, M., 219.
Fink, E.H., Kruse, H., Ramsay, D.A., and Vervloet, M. An electric quadrupole transition: the $b^1\Sigma_g^+ - d^1\Delta_g$ emission system of oxygen, 242.
Flaud, J.-M., see Perrin, A., 736.
Flaud, J.-M., see Chevillard, J.-P., 746.
Fondere, F., see Marteau, Ph., 822.
Foot, P.B., Shute, G.G., and Spicer, B.M. The anomalous analyzing power for the $^{11}B(d,n)^{12}C$ reaction to the 2^+ state at 4.44 MeV, 1348.
Forand, J.L., Becker, K., and McConkey, J.W. Dissociative excitation of SF_6 by controlled electron impact, 269.
Fournier, D., see Kuo, P.K., 1165.
Fournier, D., see Netzelmann, U., 1307.
Fox, J.L. Models for aurora and airglow emissions from other planetary atmospheres, 1631.
Frank, B., and Cheung, C.Y. Erratum: Generalized difference equation for the three-dimensional Ising ferromagnet, 865.
Frank, B., and Nath, K. Near-equalities for some two-dimensional Ising-model correlation ratios, 107.
Frank, B., and Nath, K. Erratum: The general product average decomposition equation and the Ising ferromagnet, 865.
Frank, B., and Nath, K. Erratum: Near-equalities for some two-dimensional Ising-model correlation ratios, 865.
Fujiki, S., and Betts, D.D. Zero-temperature properties of quantum spin models on a triangular lattice I: The $s = \frac{1}{2}$ XY ferromagnet, 876.
Fujimoto, Y., see Grigjanis, R., 537.
Gagné, M.-C., Galarneau, P., and Chin, S.L. Photorefractive deflection technique using parallel and overlapping probe and pump beams, 1116.
Galarneau, P., see Gagné, M.-C., 1116.
Gegenberg, J.D. Kaluza–Klein cosmology with an external scalar field, 617.
Gelbwachs, J.A., see Loper, G.L., 1124.
Gentieu, E.P., see Christensen, A.B., 1401.
Ghoneim, A.M., see Hanna, F.F., 1534.
Ghosh, D. Maximum pseudorapidity gap and diffractive dissociation in hadron–nucleus interactions at 22.6–400 GeV, 334.
Ghosh, D., Roy, J., and Sengupta, R. Study of relativistic heavy-ion interactions and antiproton annihilation data: search for shock waves, 1502.
Ghosh, D., Roy, J., and Sengupta, R. Scaling of the multiplicity distribution of target protons emitted in relativistic heavy-ion collisions and antiproton annihilation in nuclei, 1509.
Ghosh, D., Roy, J., Sengupta, K., Dutta, A., Basu, M., and Naha, S. Correlation among target fragments produced in heavy-ion interactions: search for shock-wave phenomenon, 239.
Giese, K., Nicolaus, A., Sennhenn, B., and Kölmel, K. Photoacoustic in vivo study of the penetration of sunscreen into human skin, 1139.
Girard, R., see Kröger, H., 611.
Gledhill, T.M., see Scarrott, S.M., 426.
Goldman, L.M., Seka, W., Tanaka, K., Short, R., and Simon, A. The use of laser harmonic spectroscopy as a target diagnostic, 969.
Gordiets, B.F. Excitation of vibrational emission bands in aurora and airglow, 1673.
Gosselin, R.N., see Ansbacher, W., 1365.
Green, P.W., see Khaliquzzaman, M., 219.
Gregan, G.P., see Dini, K., 658.
Gregory, P.C. Radio hot spot in supernova remnant G109.1-1.0, 479.
Grembowicz, J.T., see Hedgcock, F.T., 1345.
Grigjanis, R., Kobes, R., and Fujimoto, Y. An approach to the effective potential, 537.
Grindlay, J. The quantum-mechanical two-level system with dissipation and feedback: application to nonlinear dielectric response, 692.
Grygier, R.K., Knoll, W., and Coufal, H. Detection of plasmon surface polaritons on periodic silver gratings with a pyroelectric calorimeter, 1067.
Guberman, S.L. Windows in direct dissociative recombination cross sections, 1621.
Guy, M., and Bernengo, J.C. Designing a differential cell for in vivo photoacoustic measurements of skin absorbance, 1142.
Haas, U. Study of the liquid–gas boundary of water and alcohols by photoacoustic spectroscopy, 1063.
Haines, M.G. Magnetic-field generation in laser fusion and hot-electron transport, 912.
Hamid, M., see Ragheb, H.A., 303.
Hamid, M., see Saoudy, S., 707.
Hamid, M., see Saoudy, S., 1537.
Han, T.J., Kim, I.-M., and Choh, S.H. Superexchange interaction and spin transfer to a ligand in $K_2CuCl_4 \cdot 2H_2O$-type crystals, 252.
Hanna, F.F., Abdel-Nour, K.N., and Ghoneim, A.M. The dielectric behaviour of dipolar mixtures I: chlorobenzene–nitrobenzene mixtures, 1534.
Hardee, P.E. A helically twisted relativistic jet: nonradial motions and accelerations in 3C 345, 484.
Harris, A. B., and Meyer, H. Erratum: Orientational ordering in solid *ortho–para* H_2 mixtures and analogy with a spin glass, 890.
Hartikainen, J., Jaarinen, J., and Luukkala, M. Deformation of a liquid surface by laser heating: laser-beam self-focusing and generation of capillary waves, 1341.

Häusser, O., see Ahmad, S., 665.
Hedgcock, F.T., Sullivan, P.C., Grembowicz, J.T., and Bartkowski, M. Magnetic properties of Gd-doped PbTe, 1345.
Heelis, R.A., see Marklund, G.T., 1417.
Hefferle, P., see Coufal, H., 1200.
Helmer, R.L., see Khaliquzzaman, M., 219.
Henriksen, R.N. Some practical applications of the isotropic time in rotating coordinates, 175.
Henriksen, R.N. Global, turbulently viscous "jet" flows in a compressible ambient medium, 403.
Henry, L., see Pierre, G., 341.
Herrera, L., see Carigi, L., 1496.
Herrmann, W., see Korpiun, P., 1042.
Heyes, D.M. Transport coefficients of the Lennard–Jones fluid by molecular dynamics, 773.
Hilico, J.C., see Loete, M., 1551.
Hind, G., see Carpentier, R., 1136.
Hochheimer, H.D., see Desgreniers, S., 277.
Hodgson, R.J.W. Optical-model potentials from potential inversion at fixed energy, 653.
Hollis, J.M., see Michalitsianos, A.G., 523.
Holmgren, G., see Neubert, T., 1437.
Hughes, P.A., Aller, H.D., and Aller, M.F. Shocks as the origin of radio-source variability, 466.
Hurd, R.A., see Przeździecki, S., 1458.
Hussla, I., Coufal, H., Träger, F., and Chuang, T.J. Surface-temperature measurement during pulsed laser-induced thermal desorption of xenon from a copper film, 1070.
Hutchins, D.A. Mechanisms of pulsed photoacoustic generation, 1247.
Hutchins, D.A., Nadeau, F., and Cielo, P. A pulsed photoacoustic investigation of ultrasonic mode conversion, 1334.
Inglehart, L.J., see Lepoutre, F., 1037.
Inglehart, L.J., see Kuo, P.K., 1165.
Irfan, M., see Khushnood, H., 320.
Israel, W. The formation of black holes in nonspherical collapse and cosmic censorship, 120.
Izawa, Y., see Nishimura, H., 986.
Jaarinen, J., see Vidberg, H.J., 1178.
Jaarinen, J., see Hartikainen, J., 1341.
Jamieson, G.E., see McDonald, F. A., 1265.
Jan, N., see MacDonald, M., 1353.
Jarosz, B.J., and Clarke, R.L. Acoustic radiation from thin rods in water, 671.
Jeffrey, K.R., see Amm, D.T., 22.
Jeffrey, K.R., and Wasylishen, R.E. Hydrosulfide-ion dynamics in cesium and rubidium hydrosulfide: a deuteron nuclear magnetic resonance study, 833.
Jen, C.K., see Cielo, P., 1324.
Johar, S., see Cielo, P., 1217.
Johns, J.W.C., see Pliva, J., 1452.
Johnson, K.W., see Biswas, A., 1184.
Johnston, T.W. Plasma effects in laser fusion: past and future, 1006.
Jones, T.W. Magnetic-field configurations in compact extragalactic jets, 463.
Joshi, Y.N., and Van Kleef, Th.A.M. Revised and extended analysis of the $3d^{10}nl$ configurations in As V, Se VI, and Br VII, 330.
Joslin, C.G., see Dagg, I.R., 7.
Joslin, C.G., see Dagg, I.R., 763.
Joslin, C.G., see Dagg, I.R., 1467.
Joslin, C.G., see Dagg, I.R., 1475.
Jurczyszyn, L., see Steslicka, M., 215.
Kafatos, M., see Michalitsianos, A.G., 523.
Kanstad, S.O., and Nordal, P.-E. Experimental aspects of photothermal radiometry, 1155.
Kaplan, S.N., see Ahmad, S., 665.
Kato, Y., see Nishimura, H., 986.
Kaur, M. Test of a model of hadron–nucleus interactions at high energies, 338.
Keel, W.C., see O'Dea, C.P., 369.
Kennett, T.J., see Tsai, J.-S., 1569.
Kernahan, J.A., see Ansbacher, W., 1365.
Kerr, C.M.L., and Watson, J.K.G. Rotational line strengths in $^3\Delta$–$^3\Sigma$ electronic transitions. The Herzberg III system of molecular oxygen, 36.
Khaliquzzaman, M., Dawson, W.K., Fielding, H.W., Green, P.W., Helmer, R.L., McDonald, W.J., Neilson, G.C., Robertson, B.C., and Sheppard, D.M. Energy levels, decay scheme, gamma-ray branching ratios, and lifetimes in ^{49}V with (p, nγ) reaction, 219.
Khurana, I., Srivastava, R., and Tripathi, A.N. Excitation of hydrogen and hydrogenlike ions by impact of hydrogen, 826.
Khushnood, H., Shakeel, A., Irfan, M., Ahmad, A., Naqvi, A.H., and Shafi, M. Some interesting aspects of total disintegration of heavy emulsion nuclei at high energies, 320.
Kim, D.S., see Kuo, P.K., 1165.
Kim, I.-M., see Han, T.J., 252.

Kindermann, A., see Korpiun, P., 1042.
Kirchhoff, V.W.J.H. Theory of the atmospheric sodium layer: a review, 1664.
Klasinc, L., see Kumar, D., 1107.
Knoll, W., see Grygier, R.K., 1067.
Kobes, R., see Grigjanis, R., 537.
Kobes, R.L. Cutkosky rules and decay rates at finite temperature, 602.
Kölmel, K., see Giese, K., 1139.
Königl, A. Stellar and galactic jets: theoretical issues, 362.
Kordecki, R., Bein, B.K., and Pelzl, J. Photoacoustic study of the thermal diffusivity of metallic glass ribbons, 1204.
Korpiun, P., Herrmann, W., Kindermann, A., Rothmeyer, M., and Büchner, B. Sorption of water investigated with the photoacoustic effect, 1042.
Kovarik, M.D., see Rogers, D., 1512.
Kröger, H. On the finite-rank approximation of wave operators and the *S* matrix using Hermite expansion functions, 872.
Kröger, H., Smailagic, A., and Girard, R. Finite-dimensional approximation of the scattering matrix, 611.
Kronberg, P.P. 3C 303: a "laboratory" extragalactic jet source, 449.
Krori, K.D., Borgohain, P., Das, K., and Sarma, A. Charged matter and a one-parameter group of conformal motions: I, 882.
Krori, K.D., Borgohain, P., Das, K., and Sarma, A. Charged matter and a one-parameter group of conformal motions: II, 887.
Krori, K.D., Choudhury, R., and Sarmah, J.C. Stability of trajectories in Ernst space–time, 1455.
Krueger, S., see Bein, B.K., 1208.
Kruse, H., see Fink, E.H., 242.
Kuhn, S., see Petruş, O., 857.
Kumar, D., Klasinc, L., Clancy, P.L., Nauman, R.V., and McGlynn, S.P. Photoacoustics using radio-frequency laser-optogalvanic detection: a new technique for low-pressure photoacoustic spectroscopy. Magnetic predissociation of the $\bar{B}$ state of I_2, 1107.
Kunstatter, G., and Toms, D.J. On the consistency of self-consistent dimensional reduction, 641.
Kunstatter, G., and Vincent, D. Confining the scalar field of the Kaluza–Klein monopole, 637.
Künzle, H.P. Lagrangian formalism for adiabatic fluids on five-dimensional space-time, 185.
Kuo, P.K., see Thomas, R.L., 1234.
Kuo, P.K., Sendler, E.D., Favro, L.D., and Thomas, R.L. Mirage-effect measurement of thermal diffusivity. Part II: theory, 1168.
Kuo, P.K., Lin, M.J., Reyes, C.B., Favro, L.D., Thomas, R.L., Kim, D.S., Zhang, S.-y., Inglehart, L.J., Fournier, D., Boccara, A.C., and Yacoubi, N. Mirage-effect measurement of thermal diffusivity. Part I: experiment, 1165.
Laberge, M., and Bélanger, P.A. Acceleration of electrons in vacuum by two laser beams, 1492.
Labonté, G. Spin-½ equations with tachyons and complex energies in small external fields, 1572.
Lake, K., and Wevrick, R. Evolution of bubbles in vacuum, 165.
Lamonde, G., see Cielo, P., 1217.
Lamontagne, M., see Cielo, P., 1172.
Langdon, A. B. Computer simulations of absorption and scattering, 993.
Langlois, P., see Robins, E.S., 111.
Leblanc, R.M., see Carpentier, R., 1136.
Lee, H.C. The light-cone gauge, 624.
Lee, M.J.G., see Robins, E.S., 111.
Legg, K.O., see Rose, D.N., 1284.
Łęgowski, S., see Rudecki, P., 70.
LeGros, M.A., see Bloom, M., 1522.
Leibbrandt, G. Regularization and noncovariant gauges, 606.
Lepoutre, F., see Louis, G., 1111.
Lepoutre, F., Bein, B.K., and Inglehart, L.J. Three-dimensional calculation of the mirage effect with a personal computer, 1037.
Lessard, R.A., see Couture, J.J.A., 553.
Lévesque, D., see Rousset, G., 1293.
Lévesque, D., Rousset, G., and Bertrand, L. Finite-element simulation of the photoacoustic–thermal signal generation, 1030.
Li, D.H., Moore, R.A., and Wang, S. Variational thermodynamic calculations for some liquid *sd* metals, 75.
Li, D.H., Moore, R.A., and Wang, S. Variational thermodynamic calculations for some liquid *sd* metals: II, 852.
Lim, P.H., see Cooperstock, F.I., 134.
Lin, M.J., see Kuo, P.K., 1165.
Linebarger, R.S., Tittmann, B.R., Richardson, J.M., and Marsh, K.A. Depth-dependent two-dimensional thermal-wave source profiling in homogeneous media, 1311.
Liu, K.L., and Vosko, S.H. A variational theory for the wave-vector-dependent transverse spin susceptibility and spin-wave velocity of a two-sublattice antiferromagnet, 27.
Liu, Z.M., see Quimby, R.S., 1276.
Llewellyn, E.J., see McDade, I.C., 1626.
Loete, M., Hilico, J.C., et Qasri, M.B. Intensités absolues des transitions de vibration–rotation des bandes ν_2 et ν_4 du méthane $^{12}CH_4$, 1551.
Lonsdale, C.J. Radio jets at high red shift, 445.
Loper, G.L., Gelbwachs, J.A., and Beck, S.M. CO_2-laser photoacoustic spectroscopy applied to low-level toxic-vapor monitoring, 1124.
Louis, G., Lepoutre, F., and Monchalin, J.-P. Influence of condenser microphones on phase measurements in photoacoustics at low pressure, 1111.
Louis, G., Peretti, P., Billard, J., and Mangeot, B. Study of thin smectic A samples by a photoacoustic technique, 1230.

Lupaşcu, A.I., and Popescu, I.M. The time evolution of quantum systems with discrete energy spectra, 1546.
Luukkala, M., see Hartikainen, J., 1341.
Macdonald, J.A., see Ahmad, S., 665.
MacDonald, M., and Jan, N. Fractons and the fractal dimension of proteins, 1353.
Maiden, M.E., and Christiansen, W.A. Hercules A: a precessing cannon?, 490.
Maldague, X., see Rousset, G., 1293.
Maldague, X., see Cielo, P., 1324.
Mandelis, A., see Dodgson, J.T., 1074.
Mandin, J.-Y., see Chevillard, J.-P., 746.
Mangeot, B., see Louis, G., 1230.
Mann, R.B. Perturbative, nonperturbative, and topological aspects of anomalies, 579.
Mann, R.B. Gravity, ghosts, and strings, 589.
Marchand, R., Fedosejevs, R., and Tomov, I.V. Quenching of the forward Stokes by phase matching, 743.
Marklund, G., see Primdahl, F., 1412.
Marklund, G.T., Heelis, R.A., and Winningham, J.D. Rocket and satellite observations of electric fields and ion convection in the dayside auroral ionosphere, 1417.
Marsh, K.A., see Linebarger, R.S., 1311.
Marteau, Ph., Obriot, J., and Fondere, F. First experimental observation of far-infrared translational absorption in He–Ne mixtures, 822.
Martin, I., and Barrientos, C. Core-polarization effects in the alkali atoms: oscillator-strength calculations, 867.
Marx, J., see Egee, M., 1297.
Mason, G.R., see Ahmad, S., 665.
Mathieu, P., and Morris, T.F. Charged spinor solitons, 232.
Mathieu, P., and Watson, P.J.S. A flux-tube model of hadrons in nuclear matter, 1389.
Mathur, R.M., see Ciric, I.R., 1576.
Matthijs, H.C.P., see Carpentier, R., 1136.
McCamis, R.H., Davison, N.E., van Oers, W.T.H., Carlson, R.F., and Cox, A.J. A study of proton total reaction cross sections for several medium-mass nuclei between 20 and 48 MeV, 685.
McConkey, J.W., see Forand, J.L., 269.
McDade, I.C., and Llewellyn, E.J. The excitation of $O(^1S)$ and O_2 bands in the nightglow: a brief review and preview, 1626.
McDonald, F. A. Photoacoustic, photothermal, and related techniques: a review, 1023.
McDonald, F. A., Wetsel, Jr., G.C., and Jamieson, G.E. Photothermal beam-deflection imaging of vertical interfaces in solids, 1265.
McDonald, W.J., see Khaliquzzaman, M., 219.
McEwen, D.J., and Creutzberg, F. Dynamics of the postnoon auroral oval, 1432.
McEwen, D.J., and Steele, D.P. Rocket measurements of electron influx across the midday auroral oval, 1426.
McGlynn, S.P., see Kumar, D., 1107.
McKellar, A.R.W. Interference effects in the spectrum of HD: IV: the pure rotational band at room temperature, 227.
McKeon, G. Second-class constraints and quantization on the light cone, 549.
McKeon, G., and Shadwick, B. Classical energy emission by a point dipole, 551.
McNeill, K.G., see Ebifegha, M.E., 282.
Mølgård, K., see Neubert, T., 1437.
Meyer, H., see Harris, A. B., 890.
Meyer, J. Wave–particle interactions and energetic tail formation in the electron distribution, 977.
Michalitsianos, A.G., Hollis, J.M., and Kafatos, M. Jet activity in the symbiotic variable R Aquarii, 523.
Miller, R.M. Digital simulation of photoacoustic impulse responses, 1049.
Miller, R.M., Surtees, G.R., Tye, C.T., and Vickery, I.P. The study of time-dependent phenomena in materials by impulse-response photoacoustic spectroscopy, 1146.
Mima, K., see Nishimura, H., 986.
Mochizuku, T., see Nishimura, H., 986.
Moffat, J.W. Experimental consequences of the nonsymmetric gravitational theory including the apsidal motion of binaries, 178.
Moffat, J.W. Superstring physics, 561.
Monchalin, J.-P., see Louis, G., 1111.
Monchalin, J.-P. Detection at a distance of laser-generated ultrasound using a confocal Fabry–Perot interferometer, 1320.
Monchalin, J.-P., Bussière, J.F., and Bertrand, L. Thermal-wave vignetting and standing-wave effects in the infrared detection of ultrasonic absorption, 1059.
Mongeau, B., Rousset, G., and Bertrand, L. Separation of surface and volume absorption in photothermal spectroscopy, 1056.
Moore, C.J.L., see Audas, R., 16.
Moore, R.A., see Li, D.H., 75.
Moore, R.A., see Li, D.H., 852.
Moore, R.A., and Scott, T.C. Approximate solutions to the one-particle Dirac equation: numerical results, 297.
Morris, T.F., see Mathieu, P., 232.
Mosa, M.F., see Sharma, R.R., 65.
Mundt, R. Jets from young stars: estimates of their physical parameters, 407.
Murphy, J.C., see Aamodt, L.C., 1221.
Murtagh, D.P., Witt, G., and Stegman, J. O_2-triplet emissions in the nightglow, 1587.

Myers, E., see Chodos, A., 633.
Myers, J.M., see Biswas, A., 1184.
Nadeau, F., see Hutchins, D.A., 1334.
Naha, S., see Ghosh, D., 239.
Nakai, S., see Nishimura, H., 986.
Nakanaga, T., and Amano, T. Difference-frequency laser spectroscopy of the ν_4 fundamental band of NH_3D^+, 1356.
Naqvi, A.H., see Khushnood, H., 320.
Nath, K., see Frank, B., 107.
Nath, K., see Frank, B., 865.
Nath, K., see Frank, B., 865.
Nauman, R.V., see Kumar, D., 1107.
Neilson, G.C., see Khaliquzzaman, M., 219.
Netzelmann, U., Pelzl, J., Fournier, D., and Boccara, A.C. Nondestructive evaluation of magnetic materials by ferromagnetic-resonance photothermal-deflection spectroscopy, 1307.
Neubert, T., Holmgren, G., Ungstrup, E., and Melgård, K. Waves with harmonic structure below and above the lower hybrid resonance observed on the CENTAUR 35.001 and 35.002 rockets, 1437.
Nicolaus, A., see Giese, K., 1139.
Nishimura, H., Azechi, H., Daido, H., Takabe, H., Mima, K., Nakai, S., Yamanaka, T., Kato, Y., Izawa, Y., Mochizuku, T., and Yamanaka, C. Study of wavelength dependences of target implosion at the Institute of Laser Engineering, Osaka, 986.
Nishimura, Y., see Yamaguchi, S., 700.
Nishimura, Y., see Yamaguchi, S., 1374.
Noël, M., et Baril, M. Désign d'une source d'ions alcalins pour utilisation dans un spectromètre de masse à bombardement ionique (SIMS), 843.
Nordal, P.-E., see Kanstad, S.O., 1155.
Norman, C.A., see Pudritz, R.E., 501.
Obase, H., see Yamaguchi, S., 700.
Obriot, J., see Marteau, Ph., 822.
O'Dea, C.P., Owen, F.N., and Keel, W.C. Optical spectroscopy of radio jets in 3C 31, 3C 75, 3C 83.1B, and 3C 465, 369.
Ogryzlo, E.A., see Ali, A.A., 1614.
Olaniyi, B.H., see Ahmad, S., 665.
Olin, A., see Ahmad, S., 665.
O'Shea, S.F., see Reddy, M. R., 677.
Østgaard, E., see S!jervold, J.E., 256.
Owen, F.N., see O'Dea, C.P., 369.
Paliani, G., see Cataliotti, R.S., 100.
Palmer, R.A., and Smith, M.J. Rapid-scanning Fourier-transform infrared spectroscopy with photothermal beam-deflection (mirage effect) detection at the solid–liquid interface, 1086.
Pelzl, J., see Bein, B.K., 1208.
Pelzl, J., see Kordecki, R., 1204.
Pelzl, J., see Netzelmann, U., 1307.
Peretti, P., see Louis, G., 1230.
Perrin, A., Camy-Peyret, C., and Flaud, J.-M. Calculated energy levels and intensities for the $\nu_1 + \nu_2$ and $3\nu_2$ bands of HDO, 736.
Persson, S.E., see Campbell, B., 387.
Persson, S.E. High-density gas in bipolar outflow sources and active galactic nuclei, 421.
Petruş, O., Kuhn, S., and Dinescu, Gh. Simulation of ultrafast switching of infrared radiation by laser-produced semiconductor plasma, 857.
Pierre, G., Valentin, A., et Henry, L. Étude par transformée de Fourier, du spectre, du silane dans la région de 1000 cm^{-1}. Analyse de la diade ν_2 et ν_4, 341.
Pine, A.S., see Dang-Nhu, M., 289.
Pinnington, E.H., see Ansbacher, W., 1365.
Pliva, J., and Johns, J.W.C. Note on the ν_{11} and ν_{10} fundamentals of cyclopropane (Additional Note), 1452.
Poirier, M., and Séguin, P.-E. Microwave conductivity of p-type InSb at low temperatures, 546.
Popescu, I.M., see Lupaşcu, A.I., 1546.
Prestwich, W.V., see Tsai, J.-S., 1569.
Primdahl, F., and Marklund, G. Birkeland currents correlated with direct-current electric fields observed during the CENTAUR Black Brant X rocket experiment, 1412.
Przeździecki, S., and Hurd, R.A. Diffraction by a half plane in a gyrotropic medium (normal incidence), 1458.
Pudritz, R.E., and Norman, C.A. Hydromagnetic winds from accretion disks, 501.
Qasri, M.B., see Loete, M., 1551.
Quimby, R.S., and Liu, Z.M. Theory of real-time photoacoustic microscopy, 1276.
Quintero, M., Yoodee, K., and Woolley, J.C. Valence band structure of $CuGa(S_{1-x}Se_x)_2$ alloys, 45.
Ragheb, H.A., and Hamid, M. Rigorous solution of multiply fed dipole antenna, 303.
Ramsay, D.A., see Fink, E.H., 242.
Ramsay, D.A., see Borrell, P.M., 721.
Ramsay, D.A., see Coquart, B., 726.
Ramsay, D.A. High-resolution studies of the near-ultraviolet bands of oxygen: I: the $c\,^1\Sigma_u^- - X\,^3\Sigma_g^-$ system, 717.

Rangnekar, S.S., see Enns, R.H., 53.
Rangnekar, S.S., see Cowan, S., 311.
Rao, C. M., see Balasubramanian, D., 1132.
Rao, T.C.K. Electromagnetic-wave propagation over a rotating dielectric cylinder, 1517.
Read, L.A.A., see Dagg, I.R., 7.
Read, L.A.A., see Dagg, I.R., 763.
Read, L.A.A., see Dagg, I.R., 1467.
Read, L.A.A., see Dagg, I.R., 1475.
Reddy, M. R., and O'Shea, S.F. The equation of state of the two-dimensional Lennard–Jones fluid, 677.
Rees, M.H., and Roble, R.G. Excitation of O(^1D) atoms in aurorae and emission of the [OI] 6300-Å line, 1608.
Reyes, C.B., see Kuo, P.K., 1165.
Reynolds, W.N. Thermographic methods applied to industrial materials, 1150.
Richardson, J.M., see Linebarger, R.S., 1311.
Rief, B., see Busse, G., 1195.
Rief, B. Thermal-wave transient behaviour, 1303.
Riska, D.O., see Vidberg, H.J., 1178.
Roberts, D.H., see Wardle, J.F.C., 434.
Roberts, W. Partial-wave analysis of lepton-pair annihilation into two photons, 1359.
Roberts, W. Two-photon lepto-production: a partial-wave analysis, 1514.
Robertson, B.C., see Khaliquzzaman, M., 219.
Robins, E.S., Lee, M.J.G., and Langlois, P. Effect of optical diffraction on laser heating of a field emitter, 111.
Roble, R.G., see Rees, M.H., 1608.
Rogers, D., Kovarik, M.D., and Darewych, J.W. Two-particle potential in :$\lambda(\phi^6 - \phi^4)$: field theory, 1512.
Rose, D.N., Turner, H., and Legg, K.O. Ion-acoustic microscopy, 1284.
Rothmeyer, M., see Korpiun, P., 1042.
Roubi, L., see Desgreniers, S., 277.
Rousset, G., see Lévesque, D., 1030.
Rousset, G., see Mongeau, B., 1056.
Rousset, G., see Choquet, M., 1081.
Rousset, G., see Bordeleau, A., 1093.
Rousset, G., Lévesque, D., Bertrand, L., Maldague, X., and Cielo, P. Pulsed photothermoelastic quantitative evaluation of flaws in laminates, 1293.
Roy, J., see Ghosh, D., 239.
Roy, J., see Ghosh, D., 1502.
Roy, J., see Ghosh, D., 1509.
Rozmus, W. Fluctuations in laser-produced plasmas, 900.
Rudecki, P., Chwirot, S., and Łęgowski, S. Collisionally induced depolarization of $^2P_{1/2}$ alkali atoms fluorescence: validity criteria of weak-pumping and broad-line approximations, 70.
Rudraiah, N., and Chandna, O.P. Effects of Coriolis force and nonuniform temperature gradient on the Rayleigh–Benard convection, 90.
Rusk, A.C.M., see Rusk, R., 440.
Rusk, R., and Rusk, A.C.M. Alignment of milliarcsecond with arcsecond scale structure in core-dominated radio sources, 440.
Saint-Germain, D., et Boivin, G. Indices de réfraction des mélanges $MgF_2 - PbCl_2$ et $Na_3AlF_6 - PbCl_2$, 316.
Sanghera, S.S., see Cowan, S., 311.
Santini, S., see Cataliotti, R.S., 100.
Saoudy, S., and Hamid, M. Tables of input impedance and directivity of long linear antennas, 707.
Saoudy, S., and Hamid, M. Rigorous solution of a dipole antenna with lumped impedance loading, 1537.
Sarma, A., see Krori, K.D., 882.
Sarma, A., see Krori, K.D., 887.
Sarmah, J.C., see Krori, K.D., 1455.
Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., and Gledhill, T.M. Optical polarimetry of nebulae in regions of star formation, 426.
Schott, L. Freestreaming mode excited by a pulse, 768.
Schwartz, R.D. The dynamics of Herbig–Haro objects, 414.
Scott, T.C., see Moore, R.A., 297.
Seaquist, E.R., see Duric, N., 531.
Seaquist, E.R., and Taylor, A.R. A radio jet associated with the symbiotic star CH Cygni, 520.
Segel, S.L., see Amm, D.T., 22.
Séguin, P.-E., see Poirier, M., 546.
Seka, W., see Goldman, L.M., 969.
Sendler, E.D., see Kuo, P.K., 1168.
Sengupta, K., see Ghosh, D., 239.
Sengupta, R., see Ghosh, D., 1502.
Sengupta, R., see Ghosh, D., 1509.
Sennhenn, B., see Giese, K., 1139.
Shadwick, B., see McKeon, G., 551.

Shafi, M., see Khushnood, H., 320.
Shakeel, A., see Khushnood, H., 320.
Sharma, R.R., and Mosa, M.F. On the behaviour of a weak discontinuity in a radiation-induced flow field, 65.
Sharma, S., see Baliyan, K.S., 1482.
Sharp, W.E. Sources of the emission features between 2000 and 8000 Å in the thermosphere, 1594.
Shen, Y.Q., see Ali, A.A., 1614.
Sheppard, D.M., see Khaliquzzaman, M., 219.
Shibata, K., see Uchida, Y., 507.
Short, R., see Goldman, L.M., 969.
Shute, G.G., see Foot, P.B., 1348.
Silk, J. The cosmic microwave background radiation and galaxy formation, 147.
Simas, A.M., see Westgate, W.M., 1351.
Simon, A., see Goldman, L.M., 969.
Simon, A. Raman scattering, 956.
Skjervold, J.E., and Østgaard, E. Matter in superstrong magnetic fields, 256.
Slanger, T.G. Vibrational excitation in $O_2(b^1\Sigma_g^+)$, 1657.
Smailagic, A., see Kröger, H., 611.
Smith, Jr., V.H., see Westgate, W.M., 1351.
Smith, M.J., see Palmer, R.A., 1086.
Smith, W., see Dagg, I.R., 7.
Smith, W., see Dagg, I.R., 763.
Smith, W., see Dagg, I.R., 1467.
Smith, W., see Dagg, I.R., 1475.
Snell, R.L. Structure and kinematics of molecular jets, 431.
Sofue, Y. Jet from the Milky Way center: the galactic center lobe, 527.
Sonoda, H., see Bijnens, J., 1.
Sontag, H., and Tam, A.C. Characterization of vapor and aerosol flows by photothermal methods, 1121.
Sontag, H., and Tam, A.C. Optical detection of photoacoustic pulses in thin silicon wafers, 1330.
Spangler, S.R. Constraints on extragalactic-jet characteristics from lobe observations, 378.
Spicer, B.M., see Foot, P.B., 1348.
Spicer, J.B., see Wetsel, Jr., G.C., 1269.
Srivastava, M.K., see Baliyan, K.S., 1482.
Srivastava, R., see Khurana, I., 826.
Steele, D.P., see McEwen, D.J., 1426.
Steele, T.G., see Yau, A.W., 1446.
Stegman, J., see Murtagh, D.P., 1587.
Steslicka, M., and Jurczyszyn, L. Localized electronic states: the small-radius potential approximation, 215.
Sullivan, P.C., see Hedgcock, F.T., 1345.
Surtees, G.R., see Miller, R.M., 1146.
Szyjkowski, M., see Ebifegha, M.E., 282.
Takabe, H., see Nishimura, H., 986.
Tam, A.C., see Sontag, H., 1121.
Tam, A.C., see Sontag, H., 1330.
Tanaka, K., see Goldman, L.M., 969.
Taylor, A.R., see Seaquist, E.R., 520.
Telschow, K.L., see Biswas, A., 1184.
Thomas, R.L., see Kuo, P.K., 1165.
Thomas, R.L., see Kuo, P.K., 1168.
Thomas, R.L., Favro, L.D., and Kuo, P.K. Thermal-wave imaging for nondestructive evaluation, 1234.
Thompson, W.B. Comments on the present state of laser fusion, 1015.
Tilgner, R., see Baumann, J., 1291.
Tilgner, R., Baumann, J., and Beyfuss, M. On the influence of thin absorber layers in thermal-wave applications, 1287.
Tittmann, B.R., see Linebarger, R.S., 1311.
Tomov, I.V., see Marchand, R., 743.
Toms, D.J. The importance of quantum effects in Kaluza–Klein theory, 644.
Toms, D.J., see Kunstatter, G., 641.
Torbett, M.V. Hydrodynamic ejection of intrinsically bipolar flows, 514.
Träger, F., see Hussla, I., 1070.
Treml, T.F. Chiral anomalies and dimensional regularization, 839.
Tripathi, A.N., see Khurana, I., 826.
Tsai, J.-S., Prestwich, W.V., and Kennett, T.J. Study of the $^{127}I(\gamma,n)^{126}I$ reaction, 1569.
Tsinganos, K., see Ferrari, A., 456.
Tsuji, M., see Yamaguchi, S., 700.
Tsuji, M., see Yamaguchi, S., 1374.

Tupper, B.O.J., see Coley, A.A., 204.
Turner, H., see Rose, D.N., 1284.
Tye, C.T., see Miller, R.M., 1146.
Uchida, Y., and Shibata, K. Magnetodynamical acceleration of cosmic jets: sweeping-magnetic-twist mechanism, 507.
Ungstrup, E., see Neubert, T., 1437.
Unruh, W.G. Why study quantum gravity?, 128.
Unruh, W.G. Erratum: Why study quantum gravity?, 1453.
Urquhart, K.B., and Cochran, J.F. The effect of nonlocal conductivity on the transmission of microwave radiation through ferromagnetic metals in the field-normal configuration, 796.
Utracki, L.A., see Cielo, P., 1172.
Valentin, A., see Pierre, G., 341.
van Breugel, W. Extended optical line emission associated with radio galaxies, 392.
Van Kleef, Th.A.M., see Joshi, Y.N., 330.
van Oers, W.T.H., see McCamis, R.H., 685.
Vervloet, M., see Fink, E.H., 242.
Vervloet, M., et Watson, J.K.G. Les intensités des raies rotationelles du système $b^1\Sigma^+ - X^3\Sigma^-$ de la molécule NF, 1529.
Vickery, I.P., see Miller, R.M., 1146.
Vidberg, H.J., Jaarinen, J., and Riska, D.O. Inverse determination of the thermal-conductivity profile in steel from the thermal-wave surface data, 1178.
Villeneuve, D.M., see Baldis, H.A., 961.
Vincent, D., see Kunstatter, G., 637.
Viswanathan, K.S., and Wong, B. Quasi-Riemannian Kaluza–Klein theory, 620.
von Sacken, U., and Brodie, D.E. Structure of vacuum-deposited Zn_3P_2 films, 1369.
Vosko, S.H., see Liu, K.L., 27.
Wainwright, J. An oscillatory big-bang singularity, 200.
Walker, R.C. The radio jet in 3C 120 at very long baseline interferometry and Very Large Array scales, 452.
Walsh, C.J., see Baldis, H.A., 961.
Waltham, C.E. Prospects for an accurate measurement of the branching ratio $\pi^0 - e^+e^-/\pi^0 -$ all, 1383.
Wang, S., see Li, D.H., 75.
Wang, S., see Li, D.H., 852.
Wardle, J.F.C., and Roberts, D.H. Very long baseline interferometry polarization studies of quasars and active galactic nuclei, 434.
Warren-Smith, R.F., see Scarrott, S.M., 426.
Wassell, P.T., see Ali, A.A., 1614.
Wasylishen, R.E., see Jeffrey, K.R., 833.
Watson, J.K.G., see Kerr, C.M.L., 36.
Watson, J.K.G., see Vervloet, M., 1529.
Watson, P.J.S., see Mathieu, P., 1389.
Westgate, W.M., Byrne, A.D., Smith, Jr., V.H., and Simas, A.M. Electron–nuclear cusp check for self-consistent field wave functions for the neutral atoms from helium to uranium, 1351.
Wetsel, Jr., G.C., see McDonald, F. A., 1265.
Wetsel, Jr., G.C., and Spicer, J.B. Nonlinear effects in photothermal-optical-beam-deflection imaging, 1269.
Wevrick, R., see Lake, K., 165.
Whalen, B.A., see Yau, A.W., 1446.
Will, C.M. Approximation methods in gravitational-radiation theory, 140.
Wilson, M.J., see Falle, S.A.E.G., 470.
Winningham, J.D., see Marklund, G.T., 1417.
Wise, M.B., see Bijnens, J., 1.
Witt, G., see Murtagh, D.P., 1587.
Wolf, C. Confinement of disordered radiation by a false vacuum, 1566.
Wong, B., see Viswanathan, K.S., 620.
Woolley, J.C., see Quintero, M., 45.
Yacoubi, N., see Kuo, P.K., 1165.
Yamaguchi, S., Obase, H., Tsuji, M., and Nishimura, Y. The $a^3\Pi_{0+,1} - X^1\Sigma^+$ visible band systems of SnH^+ and SnD^+, 700.
Yamaguchi, S., Tsuji, M., and Nishimura, Y. The $a^3\Pi_{0+,1} - X^1\Sigma^+$ visible band systems of GeH^+ and GeD^+ in the helium afterglow, 1374.
Yamanaka, C., see Nishimura, H., 986.
Yamanaka, T., see Nishimura, H., 986.
Yan, S., see Dagg, I.R., 7.
Yan, S., see Dagg, I.R., 763.
Yan, S., see Dagg, I.R., 1467.
Yan, S., see Dagg, I.R., 1475.
Yau, A.W., Whalen, B.A., and Steele, T.G. Particle precipitation and ionospheric convection morphology in dayside aurora, 1446.
Yoodee, K., see Quintero, M., 45.
Zappa, L., see Bisi, A., 1379.
Zhang, S.-y., see Kuo, P.K., 1165.
Zhang, S.-y., and Chen, L. Photoacoustic microscopy to detect subsurface features of integrated circuits, 1316.